



WOOD IRON
WOOD FINISHES

STAINING

INFINITY BY MARVIN

EVERWOOD WINDOWS

Staining the Everwood

Using your brush, stain the Everwood surfaces first. Butter it, spread it, and tip your brush off. Remember to stain sections corner to corner.



Staining the Everwood

After brushing on the first coat of stain, use a stain dampened pad to wipe off excess stain. This will smooth out the brush marks and lap marks leaving an evenly stained surface.

It is important to wipe excess stain before it dries, so be mindful of just how much surface you stain. If it is drying too quick, brush then wipe sections at a time.



Staining the Wood Jamb and Casing

After the Everwood is stained. Move on to the wood jamb and casing. Repeat the process of butter it, spread it and tip off your brush.

Cut in tightly to the Everwood.



Continuing Staining the Wood Jamb and Casing

Remember to cut in tightly the Everwood.




Continuing Staining Wood Jamb and Casing




Staining the Wood Jamb and Casing

After brushing, use the stain dampened pad to wipe excess stain and even out brushmarks.



Sanding Wood Surfaces


Use a fine grade sanding sponge on wood surfaces only.



Sanding Wood Surfaces

Sponge side should face the Everwood to avoid any scratching or stripping of stain/finish .

Everwood should NEVER be sanded.




Brushing the Finish Coat


Using Doors and More finish, brush on the final coat. Butter it, spread it and tip off brush.

Brush a nice and even coat.

You can do this step on Everwood and Wood surfaces simultaneously.



Continuing Brushing the Finish Coat



Final Finished Appearance

Windows were stained to match the wood door and sidelight.

